

Table 1 Percent mortality of *Cx. quinquefasciatus* larvae using crude extract of *C. patulus* leaves

Larval Instars	Concentration (ppm)	Percent Mortality (Mean $\pm$ SE)		
		24 h	48 h	72 h
First	1000	46.68 $\pm$ 0.33	53.32 $\pm$ 0.33	68.00 $\pm$ 0.58
	2000	54.68 $\pm$ 0.33	66.68 $\pm$ 0.33	81.32 $\pm$ 0.33
	3000	66.68 $\pm$ 0.33	78.68 $\pm$ 0.33	88.00 $\pm$ 0.58
	4000	76.00 $\pm$ 0.33	86.68 $\pm$ 0.33	100.00 $\pm$ 0.00
	5000	84.00 $\pm$ 0.58	94.68 $\pm$ 0.33	100.00 $\pm$ 0.00
Second	1000	41.32 $\pm$ 0.33	56.00 $\pm$ 0.00	68.00 $\pm$ 0.58
	2000	49.32 $\pm$ 0.33	66.68 $\pm$ 0.33	77.32 $\pm$ 0.33
	3000	58.68 $\pm$ 0.58	73.32 $\pm$ 0.33	85.32 $\pm$ 0.33
	4000	69.32 $\pm$ 0.33	81.32 $\pm$ 0.33	93.32 $\pm$ 0.33
	5000	77.32 $\pm$ 0.33	92.00 $\pm$ 1.00	100.00 $\pm$ 0.00
Third	1000	29.32 $\pm$ 0.33	42.68 $\pm$ 0.33	54.68 $\pm$ 0.33
	2000	36.00 $\pm$ 0.58	50.68 $\pm$ 0.33	65.32 $\pm$ 0.33
	3000	45.32 $\pm$ 0.33	61.32 $\pm$ 0.33	76.00 $\pm$ 0.00
	4000	50.68 $\pm$ 0.33	69.32 $\pm$ 0.33	86.68 $\pm$ 0.33
	5000	57.32 $\pm$ 0.33	77.32 $\pm$ 0.33	93.32 $\pm$ 0.33
Fourth	1000	25.32 $\pm$ 0.33	28.00 $\pm$ 0.00	34.68 $\pm$ 0.33
	2000	32.00 $\pm$ 0.33	36.00 $\pm$ 0.00	40.00 $\pm$ 0.58
	3000	37.32 $\pm$ 0.33	41.32 $\pm$ 0.33	48.00 $\pm$ 0.00
	4000	42.68 $\pm$ 0.33	50.68 $\pm$ 0.58	57.32 $\pm$ 0.33
	5000	48.00 $\pm$ 0.00	53.32 $\pm$ 0.33	62.68 $\pm$ 0.33