

Table 2 Percent mortality of *Cx. quinquefasciatus* larvae using ethyl acetate extracts of *C. patulus* leaves

Larval Instars	Concentration (ppm)	Percent Mortality (Mean \pm SE)		
		24 h	48 h	72 h
First	50	49.32 \pm 0.33	58.68 \pm 0.33	70.68 \pm 0.33
	100	57.32 \pm 0.33	66.68 \pm 0.33	77.32 \pm 0.33
	150	70.68 \pm 0.33	78.68 \pm 0.33	88.00 \pm 0.58
	200	84.00 \pm 0.58	93.32 \pm 0.33	100.00 \pm 0.00
	250	93.32 \pm 0.58	100.00 \pm 0.00	100.00 \pm 0.00
Second	50	44.00 \pm 0.58	54.68 \pm 0.33	69.32 \pm 0.33
	100	52.00 \pm 0.58	62.68 \pm 0.33	73.32 \pm 0.33
	150	58.68 \pm 0.33	73.32 \pm 0.33	82.68 \pm 0.33
	200	68.00 \pm 0.58	80.00 \pm 0.58	90.68 \pm 0.33
	250	78.68 \pm 0.33	88.00 \pm 0.58	100.00 \pm 0.00
Third	50	34.68 \pm 0.33	48.00 \pm 0.58	57.32 \pm 0.33
	100	44.00 \pm 0.58	56.00 \pm 0.58	68.00 \pm 0.58
	150	49.32 \pm 0.33	64.00 \pm 1.00	77.32 \pm 0.33
	200	56.00 \pm 0.00	72.00 \pm 0.58	85.32 \pm 0.33
	250	69.32 \pm 0.33	81.32 \pm 0.33	93.32 \pm 0.33
Fourth	50	30.67 \pm 0.33	34.33 \pm 0.33	37.33 \pm 0.33
	100	34.67 \pm 0.33	40.00 \pm 0.33	44.00 \pm 0.33
	150	36.00 \pm 0.58	46.67 \pm 0.67	57.33 \pm 0.58
	200	45.33 \pm 0.33	56.00 \pm 0.00	62.68 \pm 0.33
	250	52.00 \pm 0.00	61.33 \pm 0.58	68.00 \pm 0.00