

Table 1 Mean larval mortality of larvae of *Cx. quinquefasciatus* mosquitoes at different concentration of crude extracts of seed coats of *C. sophora* (mean of three experiments)

Larval instar	Concentration (%)	Mean mortality(%) \pm SE		
		24 h	48 h	72 h
1st	0.6	10.33 \pm 0.88	13.00 \pm 0.58	15.66 \pm 0.33
	0.7	12.33 \pm 0.33	16.66 \pm 0.33	17.00 \pm 0.58
	0.8	17.66 \pm 0.88	19.33 \pm 0.33	20.00 \pm 0.00
	0.9	18.33 \pm 0.88	20.00 \pm 0.00	19.66 \pm 0.33
	1	15.33 \pm 0.33	19.33 \pm 0.66	19.66 \pm 0.33
2st	0.6	8.00 \pm 0.56	12.00 \pm 0.58	13.66 \pm 0.88
	0.7	7.66 \pm 0.33	13.66 \pm 0.66	14.00 \pm 0.58
	0.8	9.33 \pm 0.33	14.66 \pm 0.33	15.66 \pm 0.67
	0.9	8.33 \pm 0.88	14.67 \pm 0.88	16.00 \pm 0.58
	1	14.00 \pm 0.58	15.33 \pm 0.89	17.33 \pm 0.89
3rd	0.6	6.00 \pm 0.58	14.00 \pm 1.00	16.00 \pm 0.58
	0.7	7.00 \pm 1.00	11.66 \pm 0.33	17.66 \pm 0.33
	0.8	8.00 \pm 1.00	16.66 \pm 0.66	18.33 \pm 0.33
	0.9	7.66 \pm 0.66	15.66 \pm 0.33	17.67 \pm 0.33
	1	9.66 \pm 0.66	17.66 \pm 0.33	19.33 \pm 0.67
4th	0.6	4.67 \pm 0.33	11.33 \pm 0.67	15.67 \pm 0.33
	0.7	8.00 \pm 0.58	12.67 \pm 0.67	16.33 \pm 0.33
	0.8	7.33 \pm 0.33	8.67 \pm 0.33	15.67 \pm 0.33
	0.9	7.67 \pm 0.30	13.67 \pm 0.89	16.00 \pm 1.00
	1	8.33 \pm 0.67	16.67 \pm 0.89	18.67 \pm 0.33